

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8






FIG. 9




FIG. 10




FIG . 11

```

graph TD
    Start([Start]) --> S1201[An event is notified by the input part 10]
    S1201 --> S1202{Is S "outside of the area"?}
    S1202 -- N --> S1206{Does event notification from the input part 10 include contents that the pointer can retreat from the operated terminal operation area?}
    S1202 -- Y --> S1203{Has S moved in the operated terminal operation area 92?}
    S1203 -- N --> S1205[The operating terminal is operated]
    S1203 -- Y --> S1204[S is set to be "in the area", and only the operated terminal operation area 92 is set to be a working range of the pointer]
    S1204 --> S1206
    S1205 --> S1208[Proceeding is conducted in accordance with the event]
    S1206 -- N --> S1208
    S1206 -- Y --> S1207[S is set to be "outside of the area", and the outside of the operated terminal operation area is switched to a working range of the pointer]
    S1207 --> S1202

```

The flowchart illustrates the operation of the pointer. It begins with a 'Start' terminal, leading to step S1201: 'An event is notified by the input part 10'. This leads to decision S1202: 'Is S "outside of the area"?'. If the answer is 'N' (No), it proceeds to decision S1206: 'Does event notification from the input part 10 include contents that the pointer can retreat from the operated terminal operation area?'. If the answer to S1202 is 'Y' (Yes), it proceeds to decision S1203: 'Has S moved in the operated terminal operation area 92?'. If the answer to S1203 is 'N', it proceeds to step S1205: 'The operating terminal is operated'. If the answer to S1203 is 'Y', it proceeds to step S1204: 'S is set to be "in the area", and only the operated terminal operation area 92 is set to be a working range of the pointer'. Both S1204 and S1205 lead to decision S1206. If the answer to S1206 is 'N', it proceeds to step S1208: 'Proceeding is conducted in accordance with the event'. If the answer to S1206 is 'Y', it proceeds to step S1207: 'S is set to be "outside of the area", and the outside of the operated terminal operation area is switched to a working range of the pointer', which then loops back to decision S1202.

FIG . 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16








FIG. 17




FIG. 18